







Dimensione				Montaggio per movimenti alternati				
N°						Dim. in Sede		
	a	b	d	Montaggio su pistone			Montaggio su cilindro	
				A mini A maxi	B + 0,1 - 0		D + 0,1 - 0	E mini E maxi
1	2,90	6,46	1,78	6,10 6,20	2,95 3,05	2	3,25	6,40 ▲
2	3,68	7,24	1,78	6,90 7	3,75 3,85	2	4,00 4,05	7,15 7,20 ▲
3	4,47	8,03	1,78	7,70 7,80	4,55 4,65	2	4,75 4,80	7,90 7,95 ▲
3 A	4,62	8,18	1,78	7,85 8,00	4,70 4,85	2	4,95 5,00	8,10 8,15 ▲
4	5,28	8,84	1,78	8,50 8,65	5,35 5,50	2	5,55 5,60	8,70 8,75
4 A	5,70	9,26	1,78	8,95 9,10	5,80 5,95	2	6,00 6,05	9,15 9,20
5	6,07	9,63	1,78	9,30 9,50	6,15 6,35	2	6,35 6,40	9,50 9,55
5 A	6,65	10,21	1,78	9,90 10,15	6,75 7,00	2	6,90 7,00	10,05 10,15
6	7,65	11,21	1,78	10,90 11,15	7,75 8,00	2	7,90 8,00	11,05 11,25
6 A	8,70	12,26	1,78	11,95 12,25	8,80 9,10	2	8,95 9,05	12,10 12,20
7	9,25	12,81	1,78	12,50 12,85	9,35 9,70	2	9,50 9,60	12,65 12,75
7 A	9,70	13,26	1,78	12,95 13,30	9,80 10,15	2	9,90 10,05	13,05 13,20

Es. d'ordine: JF4+N°61 = JF461

Dimensione				Montaggio per movimenti alternati				
N°	a	b	d	Montaggio su pistone		Dim. in Sede	Montaggio su cilindro	
				A mini A maxi	B + 0,1 - 0		D + 0,1 - 0	E mini E maxi
8	9,19	14,43	2,62	14,00 14,45	9,20 9,65	2,9	9,45 9,55	14,25 14,35
8 A	9,80	15,04	2,62	14,70 15,05	9,90 10,25	2,9	10,00 10,15	14,80 14,95
9	10,77	16,01	2,62	15,70 16,10	10,90 11,30	2,9	11,00 11,10	15,80 15,90
9 A	11,70	16,94	2,62	16,60 17,05	11,80 12,25	2,9	11,90 12,05	16,70 16,85
10	12,37	17,61	2,62	17,30 17,75	12,50 12,95	2,9	12,50 12,70	17,30 17,50
10 A	12,80	18,04	2,62	17,70 18,20	12,90 13,40	2,9	12,95 13,15	17,75 17,95
10 B	13,70	18,94	2,62	18,60 19,10	13,80 14,30	2,9	13,80 14,00	18,60 18,80
11	13,94	19,18	2,62	19,15 19,40	14,35 14,60	2,9	14,10 14,25	18,90 19,05
11 A	14,70	19,94	2,62	19,65 20,20	14,85 15,40	2,9	14,85 15,00	19,65 19,80
12	15,54	20,78	2,62	20,50 21,05	15,70 16,25	2,9	15,65 16,00	20,45 20,80
13	17,12	22,36	2,62	22,00 22,55	17,20 17,75	2,9	17,20 17,40	22,00 22,20
13 A	17,75	22,99	2,62	22,70 23,40	17,90 18,60	2,9	17,80 18,05	22,60 22,85
14	18,72	23,96	2,62	23,70 24,40	18,90 19,60	2,9	18,80 19,00	23,60 23,80
14 A	19,60	24,84	2,62	24,60 25,35	19,80 20,55	2,9	19,65 20,00	24,45 24,80




Es. d'ordine: JF4+N°61 = JF461

Dimensione				Montaggio per movimenti alternati				
N°						Dim. in Sede		
	a	b	d	Montaggio su pistone			Montaggio su cilindro	
				A mini	B + 0,1 - 0		D + 0,1 - 0	E mini
				A maxi			E maxi	
15	18,64	25,70	3,53	25,40 26,10	18,85 19,55	3,9	18,70 19,00	25,25 25,55
16	20,22	27,28	3,53	27,00 27,65	20,45 21,10	3,9	20,30 20,60	26,85 27,15
16 A	20,90	27,96	3,53	27,70 28,40	21,15 21,85	3,9	21,00 21,20	27,55 27,75
17	21,82	28,88	3,53	28,50 29,35	21,95 22,80	3,9	21,85 22,15	28,40 28,70
18	23,39	30,45	3,53	30,00 30,80	23,45 24,25	3,9	23,45 23,70	30,00 30,25
18 A	23,99	31,05	3,53	30,85 31,55	24,30 25,00	3,9	24,00 24,30	30,55 30,85
19	24,99	32,05	3,53	31,85 32,55	25,30 26,00	3,9	25,00 25,40	31,55 31,95
19 A	25,90	32,96	3,53	32,75 33,20	26,20 26,65	3,9	25,85 26,20	32,40 32,75
20	26,57	33,63	3,53	33,40 34,10	26,85 27,55	3,9	26,50 27,00	33,05 33,55
20 A	27,57	34,63	3,53	34,40 34,85	27,85 28,30	3,9	27,50 28,00	34,05 34,55
21	28,17	35,23	3,53	34,95 36,10	28,40 29,55	3,9	28,15 28,45	34,70 35,00
22	29,74	36,80	3,53	36,50 37,75	29,95 31,20	3,9	29,60 30,05	36,15 36,60
23	31,34	38,40	3,53	38,00 39,00	31,45 32,45	3,9	31,25 31,65	37,80 38,20
23 A	32,04	39,10	3,53	39,05 39,60	32,50 33,05	3,9	31,90 32,35	38,45 38,90
24	32,92	39,98	3,53	39,75 40,50	33,20 33,95	3,9	32,80 33,25	39,35 39,80
24 A	33,80	40,86	3,53	40,65 41,20	34,10 34,65	3,9	33,65 34,10	40,20 40,65
25	34,52	41,58	3,53	41,35 42,65	34,80 36,10	3,9	34,40 35,00	40,95 41,55
26	36,09	43,15	3,53	42,95 44,30	36,40 37,75	3,9	36,00 36,40	42,55 42,95
27	37,69	44,75	3,53	44,50 46,10	37,95 39,55	3,9	37,50 38,00	44,05 44,55




Es. d'ordine: JF4+N°61 = JF461

Dimensione				Montaggio per movimenti alternati					
N°	a	b	d	Montaggio su pistone		Dim. in Sede	Montaggio su cilindro		
				A mini A maxi	B + 0,1 - 0	D + 0,1 - 0	E mini E maxi	H + 0 - 0,1	
28	37,47	48,13	5,33	47,75 49,20	37,75 39,20	6,1	37,45 38,00	47,45 48,00	
28 A	39,64	50,30	5,33	50,00 50,70	40,00 40,70	6,1	39,50 40,10	49,50 50,10	
29	40,64	51,30	5,33	51,00 52,00	41,00 42,00	6,1	40,50 41,10	50,50 51,10	
29 A	41,80	52,46	5,33	52,10 53,80	42,10 43,80	6,1	41,65 42,25	51,65 52,25	
30	43,82	54,48	5,33	54,00 55,20	44,00 45,20	6,1	43,65 44,30	53,65 54,30	
30 A	45,04	55,70	5,33	55,35 57,00	45,35 47,00	6,1	44,90 45,50	54,90 55,50	
30 B	45,84	56,50	5,33	57,15 57,40	47,15 47,40	6,1	45,60 46,25	55,60 56,25	
31	46,99	57,65	5,33	57,50 58,50	47,50 48,50	6,1	46,90 47,40	56,90 57,40	




Es. d'ordine: JF4+N°61 = JF461

JF4	Dimensione			Montaggio per movimenti alternati				
								
	N°	a	b	d	Bagues montées sur piston Piston		Gorge Groove	Bagues montées dans cylindre Cylinder
				A mini A maxi	B + 0,1 - 0	D + 0,1 - 0	E mini E maxi	H + 0 - 0,1
31 A	47,80	58,46	5,33	58,70 60,00	48,70 50,00	6,1	47,50 48,20	57,50 58,20
32	50,17	60,83	5,33	60,50 62,00	50,50 52,00	6,1	50,00 50,60	60,00 60,60
32 A	52,00	62,66	5,33	62,40 63,50	52,40 53,50	6,1	51,90 52,40	61,90 62,40
33	53,34	64,00	5,33	63,75 64,70	53,75 54,70	6,1	53,00 53,75	63,00 63,75
33 A	54,50	65,16	5,33	65,00 66,50	55,00 56,50	6,1	54,00 55,00	64,00 65,00
34	56,52	67,18	5,33	67,00 67,50	57,00 57,50	6,1	56,00 57,00	66,00 67,00
34 A	57,52	68,18	5,33	68,00 69,50	58,00 59,50	6,1	57,40 58,00	67,40 68,00
35	59,69	70,35	5,33	70,00 71,70	60,00 61,70	6,1	59,30 60,00	69,30 70,00
35 A	61,54	72,20	5,33	72,00 73,00	62,00 63,00	6,1	61,00 62,00	71,00 72,00
36	62,87	73,53	5,33	73,40 74,80	63,40 64,80	6,1	62,50 63,20	72,50 73,20
36 A	64,59	75,25	5,33	75,00 76,50	65,00 66,50	6,1	64,00 65,00	74,00 75,00
37	66,04	76,70	5,33	76,60 77,80	66,60 67,80	6,1	65,50 66,40	75,50 76,40
37 A	67,64	78,30	5,33	78,00 79,20	68,00 69,20	6,1	67,00 68,00	77,00 78,00
38	69,22	79,88	5,33	79,80 81,00	69,80 71,00	6,1	68,60 69,50	78,60 79,50
38 A	70,64	81,30	5,33	81,50 82,50	71,50 72,50	6,1	70,00 71,00	80,00 81,00
39	72,39	83,05	5,33	83,00 84,40	73,00 74,40	6,1	72,00 72,70	82,00 82,70
39 A	73,84	84,50	5,33	84,50 85,70	74,50 75,70	6,1	73,00 74,20	83,00 84,20
40	75,57	86,23	5,33	86,00 89,00	76,00 79,00	6,1	74,90 76,00	84,90 86,00
41	78,74	89,40	5,33	89,50 90,80	79,50 80,80	6,1	78,00 79,00	88,00 89,00
41 A	80,09	90,75	5,33	91,00 92,70	81,00 82,70	6,1	79,50 80,35	89,50 90,35
42	81,92	92,58	5,33	92,80 94,30	82,80 84,30	6,1	81,00 82,20	91,00 92,20
42 A	83,39	94,05	5,33	94,50 95,75	84,50 85,75	6,1	82,50 83,50	92,50 93,50
43	85,09	95,75	5,33	96,00 97,40	86,00 87,40	6,1	84,00 85,40	94,00 95,40
43 A	86,64	97,30	5,33	97,50 98,90	87,50 88,90	6,1	86,00 87,00	96,00 97,00
44	88,27	98,93	5,33	99,00 100,40	89,00 90,40	6,1	87,80 89,00	97,80 99,00
44 A	89,59	100,25	5,33	100,50 102,00	90,50 92,00	6,1	89,00 90,50	99,00 100,50
45	91,44	102,10	5,33	102,30 105,00	92,30 95,00	6,1	91,00 93,00	101,00 103,00




Es. d'ordine: JF4+N°61 = JF461

Dimensione				Montaggio per movimenti alternati				
JF4								
	N°	a	b	Montaggio su pistone		Dim. in Sede	Montaggio su cilindro	
				A mini	A maxi		B + 0,1 - 0	D + 0,1 - 0
46	94,62	105,28	5,33	105,50 108,50	95,50 98,50	6,1	94,00 96,00	104,00 106,00
47	97,99	108,65	5,33	109,00 111,70	99,00 101,70	6,1	97,00 99,50	107,00 109,50
48	100,97	111,63	5,33	112,00 113,30	102,00 103,30	6,1	100,00 101,50	110,00 111,50
48 A	102,34	113,00	5,33	113,50 114,90	103,50 104,90	6,1	101,70 103,00	111,70 113,00
49	104,14	114,80	5,33	115,00 116,00	105,00 106,00	6,1	103,50 104,50	113,50 114,50
49 A	105,80	116,46	5,33	116,50 118,50	106,50 108,50	6,1	105,00 107,00	115,00 117,00
50	107,32	117,98	5,33	119,00 121,00	109,00 111,00	6,1	107,00 109,00	117,00 119,00
51	110,49	121,15	5,33	121,50 124,50	111,50 114,50	6,1	109,50 112,20	119,50 122,20
52 A	115,84	129,82	6,99	129,80 130,60	116,80 117,60	7,9	115,60 117,00	128,60 130,00
53	116,84	130,82	6,99	130,80 133,50	117,80 120,50	7,9	117,00 119,00	130,00 132,00
54	120,02	134,00	6,99	134,00 137,00	121,00 124,00	7,9	119,50 122,00	132,50 135,00
55	123,19	137,17	6,99	137,20 140,00	124,20 127,00	7,9	122,50 125,00	135,50 138,00
56	126,37	140,35	6,99	140,50 143,50	127,50 130,50	7,9	125,50 128,50	138,50 141,50
57	129,54	143,52	6,99	143,75 146,50	130,75 133,50	7,9	129,00 131,50	142,00 144,50
58	132,72	146,70	6,99	147,00 149,50	134,00 136,50	7,9	132,00 135,00	145,00 148,00
59	135,89	149,87	6,99	150,00 153,00	137,00 140,00	7,9	135,50 138,00	148,50 151,00
60	139,07	153,05	6,99	153,20 156,00	140,20 143,00	7,9	138,50 141,00	151,50 154,00

Es. d'ordine: JF4+N°61 = JF461

N°	Dimensione			Montaggio per movimenti alternati				
						Dim. in Sede		
	a	b	d	Montaggio su pistone			Montaggio su cilindro	
				A mini A maxi	B + 0,1 - 0	D + 0,1 - 0	E mini E maxi	H + 0 - 0,1
61	142,24	156,22	6,99	156,50 159,50	143,50 146,50	7,9	141,50 144,00	154,50 157,00
62	145,42	159,40	6,99	159,70 162,90	146,70 149,90	7,9	144,50 147,00	157,50 160,00
63	148,59	162,57	6,99	163,00 166,30	150,00 153,30	7,9	147,50 150,50	160,50 163,50
64	151,77	165,75	6,99	166,40 168,40	153,40 155,40	7,9	151,00 153,50	164,00 166,50
64 A	155,02	169,00	6,99	169,00 172,50	156,00 159,50	7,9	154,00 156,50	167,00 169,50
65	158,12	172,10	6,99	172,70 175,40	159,70 162,40	7,9	157,00 159,50	170,00 172,50
65 A	161,02	175,00	6,99	175,50 178,80	162,50 165,80	7,9	160,00 162,50	173,00 175,50
66	164,47	178,45	6,99	179,00 181,50	166,00 168,50	7,9	163,00 166,00	176,00 179,00
66 A	167,02	181,00	6,99	181,70 185,00	168,70 172,00	7,9	166,50 168,50	179,50 181,50
67	170,82	184,80	6,99	185,30 187,80	172,30 174,80	7,9	169,00 172,50	182,00 185,50
67 A	173,52	187,50	6,99	188,00 191,00	175,00 178,00	7,9	173,00 175,50	186,00 188,50
68	177,17	191,15	6,99	191,40 194,00	178,40 181,00	7,9	176,00 178,50	189,00 191,50
68 A	180,52	194,50	6,99	195,00 197,80	182,00 184,00	7,9	179,00 182,50	192,00 195,50
69	183,52	197,50	6,99	198,00 200,30	185,00 187,30	7,9	183,00 185,50	196,00 198,50
69 A	186,02	200,00	6,99	200,50 204,00	187,50 191,00	7,9	186,00 188,00	199,00 201,00
70	189,87	203,85	6,99	204,20 206,40	191,20 193,40	7,9	189,00 192,00	202,00 205,00
70 A	192,02	206,00	6,99	206,50 210,50	193,50 197,50	7,9	192,50 194,00	205,50 207,00
71	196,22	210,20	6,99	210,75 213,30	197,75 200,30	7,9	195,00 198,50	208,00 211,50
71 A	199,02	213,00	6,99	213,50 217,00	200,50 204,00	7,9	199,00 201,00	212,00 214,00
72	202,57	216,55	6,99	217,50 221,00	204,50 208,00	7,9	202,00 205,00	215,00 218,00
72 A	206,80	220,78	6,99	221,30 226,00	208,30 213,00	7,9	205,50 209,00	218,50 222,00
72 B	211,02	225,00	6,99	226,50 229,50	213,50 216,50	7,9	209,50 213,50	222,50 226,50
73	215,27	229,25	6,99	230,00 233,50	217,00 220,50	7,9	214,00 218,00	227,00 231,00
73 A	219,02	233,00	6,99	233,70 238,30	220,70 225,30	7,9	218,50 221,00	231,50 234,00
73 B	223,50	237,48	6,99	238,00 242,00	225,00 229,00	7,9	222,00 226,00	235,00 239,00
74	227,97	241,95	6,99	242,50 245,00	229,50 232,00	7,9	226,50 230,50	239,50 243,50
74 A	231,02	245,00	6,99	245,50 249,50	232,50 236,50	7,9	231,00 233,50	244,00 246,50

Es. d'ordine: JF4+N°61 = JF461

Dimensione				Montaggio per movimenti alternati				
N°						Dim. in Sede		
	a	b	d	Montaggio su pistone		D + 0,1 - 0	Montaggio su cilindro	
				A mini	B + 0,1 - 0		E mini	H + 0 - 0,1
				A maxi			E maxi	
76 A	259,00	272,90	6,99	274,00	281,00	7,9	287,00	270,00
77	266,07	280,05	6,99	280,00	267,00	7,9	262,00	275,00
77 A	273,10	287,08	6,99	280,50	267,50	7,9	264,50	277,50
78	278,77	292,75	6,99	287,50	274,50	7,9	269,00	282,00
78 A	284,00	297,98	6,99	288,00	275,00	7,9	271,50	284,50
78 B	287,50	301,48	6,99	293,00	280,00	7,9	276,00	289,00
79	291,47	305,45	6,99	293,50	280,50	7,9	277,00	290,00
79 A	298,00	311,98	6,99	299,50	286,50	7,9	282,00	295,00
80	304,17	318,15	6,99	300,00	287,00	7,9	283,00	296,00
80 A	310,00	323,98	6,99	303,00	290,00	7,9	287,00	300,00
81	316,87	330,85	6,99	306,00	290,50	7,9	288,00	301,00
81 A	323,50	337,48	6,99	293,00	293,00	7,9	290,50	303,50
82	329,57	343,55	6,99	306,50	293,50	7,9	291,00	304,00
82 A	336,50	350,48	6,99	312,50	299,50	7,9	295,00	308,00
83	342,27	356,25	6,99	313,00	300,00	7,9	296,00	309,00
83 A	348,50	362,48	6,99	318,50	305,50	7,9	301,00	314,00
84	354,97	368,95	6,99	319,00	306,00	7,9	302,00	315,00
84 A	362,50	376,48	6,99	325,50	312,50	7,9	307,00	320,00
85	367,67	381,65	6,99	326,00	313,00	7,9	308,00	321,00
85 A	374,00	387,98	6,99	332,00	319,00	7,9	313,00	326,00
86	380,37	394,35	6,99	332,50	319,50	7,9	315,00	328,00
86 A	387,50	401,48	6,99	338,50	325,50	7,9	320,00	333,00
87	393,07	407,05	6,99	339,00	326,00	7,9	322,00	335,00
87 A	401,00	414,98	6,99	344,50	331,50	7,9	327,00	340,00
				345,00	332,00	7,9	328,00	341,00
				351,50	338,50	7,9	333,00	346,00
				352,00	339,00	7,9	334,00	347,00
				357,00	344,00	7,9	340,00	353,00
				357,50	344,50	7,9	341,00	354,00
				363,00	350,00	7,9	346,00	359,00
				370,50	357,00	7,9	353,00	366,00
				377,50	364,50	7,9	359,00	372,00
				378,00	365,00	7,9	360,00	373,00
				383,00	370,00	7,9	366,00	379,00
				383,50	370,50	7,9	367,00	380,00
				389,50	376,50	7,9	372,00	385,00
				390,00	377,00	7,9	373,00	386,00
				396,00	383,00	7,9	378,00	391,00
				396,50	383,50	7,9	379,00	392,00
				403,00	390,00	7,9	384,00	397,00
				403,50	390,50	7,9	385,00	398,00
				408,50	395,50	7,9	392,00	405,00
				409,00	396,00	7,9	393,00	406,00
				415,00	402,00	7,9	397,00	410,00
				416,00	403,00	7,9	398,00	411,00
				423,00	410,00	7,9	405,00	418,00

Es. d'ordine: JF4+N°61 = JF461